

RESTRICTED

WO CODE NO. 42878

COMPLETE EQUIPMENT SCHEDULE

SERVICE EDITION

42878

RADIO STATION NO. 19
UNIVERSAL STATION

COMPLETE STATION.

SIMPLE EQUIPMENT

WAR OFFICE CENSUS CODE NO.

WAR OFFICE ORD. 7.

FEBRUARY, 1962

INSTRUCTIONS

1. Instructions for use by Units

Detailed instructions for use are stated in current A.C. Is.

2. Initial Issue by RE/RAOC

- (a) One copy of the C.E.S. will be attached to the Unit's copy of the Issue Voucher and one copy will accompany the equipment.
- (b) Deficiencies (if any) will be enfaced on the covering issue voucher, by reference to the Serial number of the item listed in the simple C.E.S.
- (c) "To follow" vouchers will not be created.

3. Annotations

- (E) Expendable stores, consumable stores and materials and "Non-Ledger" spare parts of minor value.
- (X) ESSENTIAL ITEMS without which the RAOC will not issue the equipment.
- (R) Stores of RE Provision.
- (K) Dangerous stores to be packed under Label E (AFG 3406)

A	B	C	D	E	F
ITEM NO	DESIGNATION	ANNO-TION	SECTION AND CAT/PART NO FOR FURTHER DEMANDS	QTY	
	<u>PART 1 - Summary of items forming Complete Equipment</u>				
1	RADIO Set, No. 19, set kit, No. 2 Mk. 3))) or) No. 19T, Set kit, No. 2, Mk. 3))) or) No. 19 Set kit, No. 6, Mk. 3, 12/24V., Wkg.)))	X	Z1/ZA 12000/54) For detail see) Part 2A - Items) 200 - 225) or) Z1/ZA 12000/154) For detail see) Part 2B - Items) 235 - 260) or) Z1/ZA 12000/98) For detail see) Part 2C - Items) 270 - 304)	1	
2	INSTALLATION kit, Radio Set, No. 19, Truck-Cum-Ground	X	Z1/ZA 12000/30B For detail see Part 2D - Items 314 - 331	1	
3	JUNCTION remote control, kit No. 1, Mk. 1))) or) No. 5))))		Z1/ZA 10649/1) For detail see) Part 2E - Items) 341 - 345) or) Z1/ZA 10649/5) For detail see) Part 2F - Items) 355 - 359)	1	
4	RADIO Set No. 19 Supply Unit, No. 2 (Cdn) Kit No.1		Z1/ZA/CN/1000/11 For detail see Part 2G - Items 369 - 380	1	
5	Universal, Standard kit	X	Z1/ZA 12000/184 For detail see Part 2H - Items 390 - 424	1	

A	B	C	D	E	F
ITEM NO	DESIGNATION	ANNO- TATION	SECTION AND CAT/PART NO FOR FURTHER DEMANDS	QTY	
	<u>PART 1 - (Contd.)</u>				
6	CABLE electric, D10, Mk. 2 twisted (1/2 mile dispenser coil)		Y3/6145-99-942-6314	1 ✓	
7	BATTERY Secy lead acid, 6V., 100 Ah ¹⁰⁰ ₇₅		Z9/6140-99-910-1521	4	
8	C.E.S. Service Edition		W.O. Code 42878	1	
9	SPECIAL Instruction Sheet		For detail see Part 3	-	
	<u>PART 2 - Detail of main items other than Tools, Spares, Equipment and Literature</u>				
	<u>PART 2A - Detail of Radio Set No. 19, Set kit, No. 2, Mk. 3 (Z1/ZA 12000/54)</u>				
	RADIO Set, No. 19				
200	Mk. 3) or) Mk. 3/1)		Z1/ZA 10479) or) Z1/ZA 25337)	1 ✓	
	Supply Unit, No. 1				
201	Mk. 3) or) Mk. 3/1)		Z1/ZA 15208) or) Z1/ZA 25336)	1 ✓	
	Aerial Variometer				
202	Mk. 3) or) Mk. 3/1)		Z1/ZA 10488) or) Z1/ZA 25335)	1	

A	B	C	D	E	F
ITEM NO	DESIGNATION	ANNO- TATION	SECTION AND CAT/PART NO FOR FURTHER DEMANDS	QTY	
	<u>PART 2A - (Contd.)</u>				
	VALVE electronic				
203	CV 124		Z/5960-99-000-0124	1	
204	CV 509		Z/5960-99-000-0509	1	
205	CV 1054		Z/5960-99-000-1054	1	
206	CV 1091		Z/5960-99-000-1091	1	
207	CV 1893		Z/5960-99-000-1893	1	
208	CV 1941		Z/5960-99-000-1941	4	
209	CV 1944		Z/5960-99-000-1944	2	
	CARRIER Set -				
210	No. 23, Mk. 1/1		Z1/ZA 27669	1 ✓	
	Including:-				
	STRAP Assembly -				
211	22.1/16-in. No. 1	Qty 1 ✓	Z1/ZA 36367		
212	10.13/16-in., No. 1	Qty 1 ✓	Z1/ZA 36366		
	CONNECTOR				
213	Co-Axial, No. 10, 3-ft. 6-in.		Z1/ZA 3141	1 ✓	
	12 point				
214	No. 50		Z1/ZA 10606	1 ✓	
215	No. 50A		Z1/ZA 10607	1 ✓	
	CONTROL Unit, No. 3B -				
	Mk. 2)	Z1/ZA 10361)	
216	or)	or)	1 ✓
	Mk. 2/1) -	Z1/ZA 27476)	

A	B	C	D	E	F
ITEM NO	DESIGNATION	ANNO-TION	SECTION AND CAT/PART NO FOR FURTHER DEMANDS	QTY	
	<u>PART 2A</u> - (Contd.)				
217	COVER, protecting, No. 1) or) GRILLE, protecting, 16.3/4-in. x) 8.3/4-in. x 3.1/2-in., No. 1)		Z1/ZA 2950) or) Z1/ZA 27674)	1 ✓	
218	COVER, protecting, No. 2) or) GRILLE, protecting, 5.3/4-in. x) 8.3/4-in. x 3.1/4-in. No. 1)		Z1/ZA 2951) or) Z1/ZA 27673)	1 ✓	
219	COVER, Waterproof, No. 5, Mk. 1/1		Z1/ZA 27668	1 ✓	
220	MOUNTING, carrier, No. 1		Z1/ZA 10316	2 ✓	
221	PACKING, No. 1, aerial variometer		Z1/ZA 2993	1 ✓	
222	PAD rubber, moulded, 3.5/16-in. x 1.29/32-in. x 1.29/32-in. x 3/8- in., No. 1		Z1/ZA 10582	8 -	
	PLATE				
223	adaptor - No. 2, Aerial Variometer) or) No. 2A, Mk. 2, Aerial) Variometer)		Z1/ZA 10313) or) Z1/ZA 44722)	1 ✓	
224	seating, No. 4, Aerial Variometer		Z1/ZA 10314	1 ✓	
225	RADIO Set, No. 19, Wiring layout, No. 12, Mk. 2		Z1/ZA 10349	1	

A	B	C	D	E	F
ITEM NO	DESIGNATION	ANNOTATION	SECTION AND CAT/PART NO FOR FURTHER DEMANDS	QTY	
	<u>PART 2B - Detail of Radio Set, No. 19T, Set kit, No. 2 Mk. 3 (Z1/ZA 12000/154)</u>				
235	RADIO Set, No. 19 Mk. 3/1		Z1/ZA 25337	1	
236	Supply Unit, No. 1, Mk. 3/1		Z1/ZA 25336	1	
237	Aerial Varicometer, Mk. 3/1		Z1/ZA 25335	1	
238	VALVE, electronic CV 124		Z/5960-99-000-0124	1	
239	CV 509		Z/5960-99-000-0509	1	
240	CV 1054		Z/5960-99-000-1054	1	
241	CV 1091		Z/5960-99-000-1091	1	
242	CV 1893		Z/5960-99-000-1893	1	
243	CV 1941		Z/5960-99-000-1941	4	
244	CV 1944		Z/5960-99-000-1944	2	
245	CARRIER, Set, No. 23, Mk. 1/1 Including:- STRAP Assembly		Z1/ZA 27669	1	
246	10.13/16-in. No. 1 Qty		Z1/ZA 36366		
247	22.1/16-in., No. 1 Qty1		Z1/ZA 36367		
248	CONNECTOR - Co-Axial, No. 10, 3-ft. 6-in. 1/2 point - No. 50		Z1/ZA 3141	1	
249	No. 50A		Z1/ZA 10606	1	
250	No. 50A		Z1/ZA 10607		

NOT APPLICABLE

A	B	C	D	E	F
ITEM NO	DESIGNATION	ANNO-TION	SECTION AND CAT/PART NO FOR FURTHER DEMANDS	QTY	
	<u>PART 2B</u> - (Contd.)				
251	CONTROL Unit, No. 3B, Mk. 2/1		Z1/ZA 27476	1	
252	COVER, waterproof, No. 5, Mk. 1/1		Z1/ZA 27668	1	
253	GRILLE protecting - 5.3/4-in. x 8.3/4-in. x 3.1/4-in., No. 1		Z1/ZA 27673	1	
254	16.3/4-in. x 8.3/4-in. x 3.1/2-in., No. 1		Z1/ZA 27674	1	
255	MOUNTING Carrier, No. 1		Z1/ZA 10316	2	
256	PACKING, No. 1, Aerial Variometer		Z1/ZA 2993	1	
257	PAD, rubber moulded, 3.5/16-in. x 1.29/32-in. x 1.29/32-in. x 3/8-in. No. 1		Z1/ZA 10582	8	
	PLATE				
	adaptor				
258	No. 2, Aerial Variometer) or) No. 2A, Mk. 2 Aerial Variometer)		Z1/ZA 10313) or) Z1/ZA 44722)	1	
259	seating, No. 4 Aerial Variometer		Z1/ZA 10314	1	
260	RADIO Set, No. 19, wiring layout No. 12, Mk. 2		Z1/ZA 10349	1	

APPLICABLE

NO 1

A	B	C	D	E	F
ITEM NO	DESIGNATION	ANNO-TION	SECTION AND CAT/PART NO FOR FURTHER DEMANDS	QTY	
	<u>PART 2C</u> - Detail of Radio Set, No. 19, Set kit, No. 6 Mk. 3, 12/2 1/2 V., Wkg. (Z1/ZA 12000/98)				
270	RADIO Set, No. 19 Mk. 3) or) Mk. 3/1)		Z1/ZA 10479) or) Z1/ZA 25337)	1	
271	Cdn. Supply Unit, No. 2 Including:- LAMP incandescent,) min. min. screw) base, 12V., 20 Amp,) clear white, No. 1446) or) LAMP filament, 12V.,) 2.2W., M.E.S. clear)		Z1/ZA/CAN/BR 10572 Y3/6240-21-107-7373) or X5/6240-99-995-1219)	1	
272					
273	FUSE Cartridge, No. 1,) 250 mA) or) link, Cartridge) ceramic, 250 mA) 440V., A.C.)	Qty 1 Qty 2	Z1/ZA 3579) or) X2/5920-99-059-0107)		
274	cartridge, 10A, 25V.	Qty 1	Y3/5920-21-104-0635		
275	VALVE, electronic CV 517	Qty 2	Z/5960-99-000-0517		
276	VIBRATOR interrupter, 12V) or) non-synch, shunt) driven, 12V.)	Qty 2	Z1/6130-21-106-5064) or) Z/6130-99-073-0004)		

NOT APPLICABLE

ITEM NO	DESIGNATION	ANNOTA-TION	SECTION AND CAT/PART NO FOR FURTHER DEMANDS	QTY	F
	<u>PART 2C</u> - (Contd.)				
	RADIO Set, No. 19 - (Contd.)				
	Aerial Variometer -				
277	Mk. 3)		Z1/ZA 10488)	1	
	or)		or)		
	Mk. 3/1)		Z1/ZA 25335)		
278	FUSE, cartridge, 10A., 25V.		Y3/5920-21-104-0635	12	
279	VALVE, electronic - CV 124		Z/5960-99-000-0124	1	
280	CV 509		Z/5960-99-000-0509	1	
281	CV 1054		Z/5960-99-000-1054	1	
282	CV 1091		Z/5960-99-000-1091	1	
283	CV 1893		Z/5960-99-000-1893	1	
284	CV 1941		Z/5960-99-000-1941	4	
285	CV 1944		Z/5960-99-000-1944	2	
286	CARRIER Set, No. 23, Mk. 1/1 Including:-		Z1/ZA 27669	1	
287	STRAP Assembly - 10.13/16-in., No. 1	Qty 1	Z1/ZA 36366		
288	22.1/16-in., No. 1	Qty 1	Z1/ZA 36367		
289	CONNECTOR co-axial, No. 10, 3-ft. 6-in.		Z1/ZA 3141	1	
29C	CONNECTOR copper braid, 6.3/4- in., No. 1		Z1/ZA 36616		
	or		or	1	
	LEAD, electrical, copper braid 7-in. lg.		Z1/5995-21-106-4308		

NOT APPLICABLE

A	B	C	D	E	F
ITEM NO	DESIGNATION	ANNO- TATION	SECTION AND CAT/PART NO FOR FURTHER DEMANDS	QTY	
	<u>PART 2C</u> - (Contd.)				
291	CONNECTOR - 6/12 point, No. 1A Canadian		Z1/ZA/CAN/BR 10602	1	
292	12 point - No. 23A, Canadian) or) No. 50)		Z1/ZA/CAN/BR 10540) or) Z1/ZA 10606)	1	
293	No. 50A		Z1/ZA 10607	1	
294	CONNECTION, earth, 18-in. No. C1		Z1/ZA/CAN/1668	1	
295	CONTROL Unit, No. 3B Mk. 2) or) Mk. 2/1)		Z1/ZA 10361) or) Z1/ZA 27476)	1	
296	COVER, protecting, No. 1) or) GRILLE, protecting, 16.3/4-in. x 8.3/4-in. x 3.1/2-in., No. 1)		Z1/ZA 2950) or) Z1/ZA 27674)	1	
297	COVER, protecting, No. 2) or) GRILLE, protecting 5.3/4-in. x 8.3/4-in. x 3.1/4-in., No. 1)		Z1/ZA 2951) or) Z1/ZA 27673)	1	
298	COVER, waterproof, No. 5, Mk. 1/1		Z1/ZA 27668	1	
299	MOUNTING, carrier, No. 1		Z1/ZA 10316	2	
300	PACKING, No. 1, Aerial Variometer		Z1/ZA 2993	1	
301	PAD, rubber moulded, 3.5/16-in. x 1.29/32-in. x 1.29/32-in. x 3/8-in. No. 1		Z1/ZA 10582	8	
302	PLATE adaptor No. 2, Aerial Variometer) or) No. 2A, Mk. 2, Aerial Variometer)		Z1/ZA10313) or) Z1/ZA 44722)	1	

A	B	C	D	E	F
ITEM NO	DESIGNATION	ANNO-TION	SECTION AND CAT/PART NO FOR FURTHER DEMANDS	QTY	
	<u>PART 2C</u> (Contd.)				
303	PLATE - (Contd.) seating, No. 4, aerial voltmeter	NOT	Z1/ZA 10314	1	
304	INSTRUCTIONS working, supply unit No. 2		W.O. Code 18995	1	
	<u>PART 2D</u> - Detail of Installation kit, Radio Set, No. 19 Truck-Cum-Ground (Z1/ZA 12000/30B)				
314	MICROPHONE and Receiver, headgear assembly, No. 10		Z1/ZA 21314 71-5965-92-104-440	1 ✓	
315	AERIAL feeder assembly, No. 9		Z1/ZA 10312	1 ✓	
316	AERIAL - 70-ft., No. 1		Z1/ZA 11530	1	
317	90-ft., No. 1		Z1/ZA 11531	1	
318	110-ft., No. 1		Z1/ZA 11532	1 ✓	
319	150-ft., No. 2		Z1/ZA 11533	1 ✓	
320	185-ft., No. 1		Z1/ZA 11534	1	
321	250-ft., No. 1		Z1/ZA 11535	1 ✓	
322	CLIP, cable fixing, No. 17		Z1/ZA 10237	1 set	

A	B	C	D	E	F
ITEM NO	DESIGNATION	ANNO-TION	SECTION AND CAT/PART NO FOR FURTHER DEMANDS	QTY	
	<u>PART 2D</u> - (Contd.)				
	CONNECTOR				
	Single				
323	No. 33		Z1/ZA 10320	1-	
324	No. 186, 6-ft.		Z1/ZA 10318	1✓	
325	Twin, No. 77) or) Mk. 2) -		Z1/ZA 10210) or) Z1/ZA 21734)	1✓	
326	5 point - No. 34, Mk. 1, 6-ft.) 5-in.) or) No. 34, Mk. 1/1, 6-ft.) 5-in.)		Z1/ZA 10211) or) Z1/ZA 27671)	1✓	
	LEAD				
	counterpoise,				
327	No. 2, Mk. 2) or) No. 2A)		Z1/ZA 2784) or) Z1/ZA 55247)	1✓	
328	earth, No. 2		Z1/ZA 10319	1✓	
329	MOUNTING, aerial base, No. 3, Mk. 1		Z1/ZA 1827	1✓	
330	PLATE, metal, 3.3/4-in. x 1-in. x 1/2-in., No. 1		Z1/ZA 10215	2✓	
331	SATCHEL, Signal, No. 1) or) HAVERSACK, No. 1)		Z1/ZA 6292) or) Z1/8465-99-940-0047)	3✓	

A	B	C	D	E	F
ITEM NO	DESIGNATION	- ANNOTA TION	SECTION AND CAT/PART NO FOR FURTHER DEMANDS	QTY	
	<u>PART 2E</u> - Detail of Junction Remote Control kit, No. 1, Mk. 1 (Z1/ZA 10649/1)				
	JUNCTION remote control				
	No. 1)		Z1/ZA 10649)		
	or)		or)		
341	No. 1, Mk. 1/1)		Z1/ZA 28568)	1 ✓	
	or)		or)		
	No. 1, Mk. 2)		Z1/ZA 38481)		
	No. 2)		Z1/ZA 10650)		
	or)		or)		
342	No. 2, Mk. 1/1)		Z1/ZA 28545)	1 ✓	
	or)		or)		
	No. 2, Mk. 2)		Z1/ZA 38482)		
343	MICROPHONE and receiver, headgear assembly, No. 10		Z1/ZA 21514 41-5765-99-104-4890	1 ✓	
344	CONNECTOR, Single, No. 66		Z1/ZA 22297	1 ✓	
	SATCHEL Signal, No. 1)		Z1/ZA 6292)		
	or)		or)		
345	HAVERSACK, No. 1)		Z1/8465-99-940-0047)	1 ✓	

A	B	C	D	E	F
ITEM NO	DESIGNATION	ANNO- TATION	SECTION AND CAT/PART NO FOR FURTHER DEMANDS	QTY	
	<u>PART 2F</u> - Detail of Junction remote Control Kit, No.5 (Z1/ZA 10649/5)				
355	JUNCTION, remote control No. 1, Mk. 2		Z1/ZA 38481	1	
356	No. 2, Mk. 2		Z1/ZA 38482	1	
357	MICROPHONE and receiver headgear assembly, No. 10		Y1/ZA 21514	1	
358	CONNECTOR, Single, No. 66		Z1/ZA 22297	1	
359	SATCHEL, Signal, No. 1) or) HAVERSACK, No. 1)		Z1/ZA 6292) or) Z1/8465-99-940-0047)	1	
	<u>PART 2G</u> - Detail of Radio Set; No. 19, Supply Unit, No. 2 (Cdn) Kit, No. 1 (Z1/ZA/CN/1000/11)		See Part 3		
369	RADIO Set, No. 19, (Cdn) supply Unit, No. 2 Including:- LAMP, incandescent, min.) min. screw base, 12V.,) 20 amp, clear white,) No. 1446)		Z1/ZA/CAN/BR 10572	1	
370	or) Qty 1 LAMP, filament, 12V. 2.2W) M.E.S. clear)		Y3/6240-21-107-7373) or) X5/6240-99-995-1219)		

A	B	C	D	E	F
ITEM NO	DESIGNATION	ANNOTA-TION	SECTION AND CAT/PART NO FOR FURTHER DEMANDS	QTY	
	<u>PART 2G</u> - (Contd.)				
	RADIO Set, No. 19, (Can) Supply Unit No. 2 - (Contd.) Including:- (Contd.)				
371	FUSE cartridge, 10 amp, 25V.	Qty 1	Y3/5920-21-104-0635		
372	cartridge, No. 1,) 250 mA) or) link, cartridge,) ceramic, 250 mA) 440-V., A.C.)	Qty 2	Z1/ZA 3579) or) X2/5920-99-059-0107)		
373	VALVE, electronic CV 517	Qty 2	Z/5960-99-000-0517		
374	VIBRATOR interrupter, 12V.) or) non-synchronous,) shunt driven, 12-volt)	Qty 2	Z1/6130-21-106-5064) or) Z/6130-99-073-0004)		
375	FUSE, Cartridge, 10 Amp 25V.		Y3/5920-21-104-0635	12	✓
376	LEAD, electrical copper braid) 7-in. lg.) or) CONNECTOR, copper braid, 6.3/4-) in. No. 1)		Z1/5995-21-106-4308) or) Z1/ZA 36616)	1	✓
377	CONNECTION, earth, 18-in., No. C1		Z1/ZA/CAN/1668		✓
378	CONNECTOR - 6/12 point, No. 1A, Canadian		Z1/ZA/CAN/BR 10602	1	
379	12 point, No. 23A, Canadian		Z1/ZA/CAN/BR 10540	1	
380	INSTRUCTIONS working, Supply Unit, No. 2		W.O. Code 18995	1	

A	B	C	D	E	F
ITER. NO	DESIGNATION	ANNOTATION	SECTION AND C/T/PART NO FOR FURTHER DEMANDS	QTY	
	<u>PART 2H - Detail of Radio Set, No. 19, Universal Standard kit (Z1ZA 12COO/184)</u>				
390	SWITCHBOARD, Charging, No.5		X2/ZB 0183	1	✓
391	BOLT, B.S.F., 'R' Steel, hex. head, 1/4-in. x 2-in.		G1/5305-99-941-9665 See Part 3	6	✓
392	NUT, B.S.F., Steel, Hex. 1/4-in.		G1/5310-99-941-7691 See Part 3	6	✓
393	WASHER, spring, steel, SC 1/4-in. Z.C.		G1/5310-99-120-1338 See Part 3	6	✓
394	LAMP, filament, 12V., 2.2W., M.E.S. clear		X5/6240-99-995-1219	4	✓
395	MICROPHONE, Receiver/Headgear Assembly, No. 10		Z1ZA 21514 Y1-5765-99-104-4886	2	✓
396	ROD, Earthing, M.S., 12.3/4-in. 2.1/4-in. x 1/2-in. overall dim cone point (M/5651)		Y1/5975-99-943-9501	1	✓
397	CABLE, electric, H.T. P13, Mk. 1		Y3/WB 1043	10	✓ yds.
398	VALVE, electronic - CV 124		Z/5960-99-000-0124	1	
399	CV 509		Z/5960-99-000-0509	1	
400	CV 1054		Z/5960-99-000-1054	1	
401	CV 1091		Z/5960-99-000-1091	1	
402	CV 1893		Z/5960-99-000-1893	1	
403	CV 1941		Z/5960-99-000-1941	3	
404	CV 1944		Z/5960-99-000-1944	1	

A ITEM NO	B DESIGNATION	C ANNO- TATION	D SECTION AND CAT/PART NO FOR FURTHER DEMANDS	E QTY	F
	<u>PART 2H - (Contd.)</u>				
405	AERIAL base, No. 10, Mk. 2) BASE, Aerial support, rubber/ steel, 5-in. dia. x 5.1/4-in.) long o/a)		Z1/ZA 14172) or) Z1/5820-99-949-0581)	1	
406	Including:- CONNECTOR, pigtail Qty 1 ✓ 4-in. loops, 7/32- in. dia.		Z1/ZA 43211		
407	AERIAL base, No. 11		Z1/ZA 11009	1 ✓	
408	ANTENNAE Element 49.1/2-in. long		Z1/5985-21-106-4140	1 ✓	
409	ANTENNAE Element, 49.1/2-in. long		Z1/5985-21-106-4141	1 ✓	
410	ANTENNAE Element, 49.1/2-in. long		Z1/5985-21-106-4142	1 ✓	
	CONNECTOR				
411	Co-Axial, No. 10, 3-ft. 6-in.		Z1/ZA 3141	1 ✓	
412	pigtail, No. 1		Z1/ZA 1868	1 ✓	
	Single				
413	No. 23		Z1/ZA 1949	1 ✓	
414	No. 23A		Z1/ZA 1951	1 ✓	
415	No. 24		Z1/ZA 1952	1 ✓	
416	No. 24A		Z1/ZA 1953	1 ✓	
417	No. 24B		Z1/ZA 1954	1 ✓	
418	No. 24C		Z1/ZA 1955	1 ✓	
419	4 point, No. 32, Mk. 2		Z1/ZA 21747	1 ✓	

PART 3SPECIAL INSTRUCTION SHEET

NO	CES Item Serial No.	Remarks
1	369 to 380	This is a spare kit
2	391 to 393	These are required for bolting "Carrier Set No. 23" to Vehicle